






N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	mm		
FIAT - IVECO - AUTOCARRI - TRATTORI									
G25 501A G25 501B G25 501C G25 501D	615 N Truck - Tractor 25 RC Mot. 305 B	4	854892	A-S	15,03 15,08 15,13 15,23	9,03	56	G	L-0
G25 501A G25 501D G25 502A G25 502D	615 N CAMPAGNOLA Mot. 101 B	4	854892 813600	A S	15,03 15,23 15,03 15,23	9,03	56 63,5	G	L-0 L-0
G25 503A G25 503B G25 503C G25 503D	615 N1 - N2-241 TN-110 TNI-332 Trat. Mot. 237 A	4	4648430 4648431	A-S	15,03 15,08 15,13 15,23	9,03	56	G	L-0
G25 505A G25 505D G25 506A G25 506D	616 N - N1 - 625 N Mot. 230.000	4	4578948 4578949	A S	15,04 15,24 15,04 15,24	8,03	49 55	G	L-0 L-0
G25 507A G25 507B G25 507C G25 507D	616 N2 - N4 625N2 - N3 662N1 - N2 - N3 - N1P - 650 655N - 645N1 Tratt. 450 - 455 - 500 - 600 Mot. 8025 - 8035 - 8045 - 8065 2340 cc - 3120 cc - 4678 cc	4-6	4601299 4601300	A-S	14,03 14,08 14,13 14,23	8,03	49	G	L-0
G25 509A G25 509B G25 509C G25 509D G25 510A G25 510B G25 510C G25 510D	625N2 - N3 - 616N3 662N1 - N2 - N3 650 - 655N - 672N1 645N1 - 50NC 190 NC Mot. 8030.2-8040.2-8045.2-8060.2 2592 cc - 3456 cc - 5184 cc	4-6	4648421 - 4802126 4802127 4684422 - 4676070 4684423 - 4676071	A S	14,04 14,09 14,14 14,24 14,04 14,09 14,14 14,24	8,03	56 56	G	L-0 L-0-U







N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	± mm		
G25 511A G25 511B	segue FIAT - IVECO - AUTOCARRI - TRATTORI C40 - C50 - 645 - 650E - 662	6	561288	A-S	15,03 15,08	9,03	59	G	L-0
G25 511A G25 511B G25 511D G25 514A G25 514B G25 514D	411 - 451 C - FL 4 4678 cc 66 KW C40 - C50 645N - 650N - 662N Mot. 213	4-6	561288 561289	A S	15,03 15,08 15,23 15,03 15,08 15,23	9,03	59 69	G	L-0 L-0
G25 517A G25 517B G25 517C G25 517D	60 - 70 - FL 7 -8	4	557472	A-S	19,03 19,08 19,13 19,23	11,03	84,5	G	L-0-U




N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	mm		
segue FIAT - IVECO - AUTOCARRI - TRATTORI									
G25 527A G25 527B G25 527C G25 527D	643N - N1 FL12 - AD12 OM 130C	6	4525822	A-S	17,03 17,08 17,13 17,23	10,03	80	G	L-0
G25 529A G25 529B G25 529C G25 529D	309 Bus - 643N - N1 "foro laterale"	6	4534031	A-S	17,03 17,08 17,13 17,23	10,03	80	G	L-0-Y
G25 531A G25 531B G25 531C G25 531D	418 Bus "foro laterale e 2 cave interne"	6	4648346	A-S	17,03 17,08 17,13 17,23	10,03	80	G	L-0-Y-T
G25 533A G25 533B G25 533C G25 533D	693N - N1 - T1 619 - 683	6	4630627	A-S	18,03 18,08 18,13 18,23	11,03	86	G	L-0
G25 535A G25 535B G25 535C G25 535D G25 536A G25 536B G25 536C G25 536D	697N - 618N1 - OM 200 C 180 NC Mot. 8210.02.000	6	4630627 4630628 4647763 4647764	A S	18,03 18,08 18,13 18,24 18,03 18,08 18,13 18,24	11,03	86 76	G G	L L
G25 537A G25 537B G25 537C G25 537D G25 538A G25 538B G25 538C G25 538D	190.33 Turbo Star 190.440 E 42 Eurostar 190 - 220 - 240 260 - 330 - 370 619 - 697 N Mot. 8210.22 Turbo "foro laterale e 2 cave interne"	6	4630923 4648237	A S	18,03 18,08 18,13 18,24 18,03 18,08 18,13 18,24	11,03	86 76	G G	L-Y-T L-Y-T



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	± mm		
segue FIAT - IVECO - AUTOCARRI - TRATTORI									
G25 539A G25 539B G25 539D	684N - 690N4	6	4630623	A-S	17,03 17,08 17,23	10,03	77	G	L-0
G25 541A G25 541B G25 541D	684N - 690N4 "foro laterale e 2 cave interne"	6	4630919	A-S	17,03 17,08 17,23	10,03	77	G	L-0-Y-T
G25 543A G25 543B G25 543C G25 543D G25 544A G25 544B G25 544C G25 544D	697N - 619N1 - Bus 684 - 690N4 Mot. 8200.02000 Mot. 02 8205.513	6	4647838 4647842	A S	17,03 17,08 17,13 17,23 17,03 17,08 17,13 17,23	10,03	80 70	G G	L-0 L-0
G25 545A G25 545B G25 545C G25 545D G25 546A G25 546B G25 546C G25 546D	418 Bus-684N-690N4 "foro laterale e 2 cave interne" Mot. 8200 - 12000	6	4648346 4648350	A S	17,03 17,08 17,13 17,23 17,03 17,08 17,13 17,23	10,03	80 70	G G	L-0-Y-T L-0-Y-T
G25 547A G25 547B G25 547C G25 547D G25 548A G25 548B G25 548C G25 548D	130RT - 120.17 - 150.17 - 159.17 C03 - DAINO - LUPETTO LEONCINO FL 6-10 673N - NR - OM 100 - ZETA 50.9 120 C - FL10 Mot. 8340 - 8360 - 8365 Turbo Mot. 8040.05	4-6	8822383 - 4758794 4758795 4758796 8823263 - 4758798 4758799 4758800	A S	14,05 14,10 14,15 14,25 14,05 14,10 14,15 14,25	8,00	55 62	G G	C.I. L








FLANGIATA **F**



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	mm		
segue FIAT - IVECO - AUTOCARRI - TRATTORI									
G25 549A G25 549B G25 549C G25 549D G25 549E	190.33 - 190.38 - 240 - 440 190.38 - 190.42 Turbostar 190.48 170.33 370.25 17173 cc 280 KW Mot. 8280.22 - 8280.42 - SPR	8V	4672515 4694449 4694450 4694451	A-S	17,03 17,08 17,13 17,23 17,27	10,03	67	G	L
G25 550A G25 550B G25 550C G25 550D G25 552A G25 552B G25 552C G25 552D	GAMMA ZETA 75 E 14 EURO CARGO Turbo 79.14 - 115.14 - 150E15 - 180E18 79.17 - 109.14 - 79.109 80-100E 15 EURO CARGO Turbo 80E - 100E 21 Turbo Mot. 8040.45 - 8060.45 - 8060.25 Mot. 8060.02 - 8060.04	4-6	4802126 4802127	A-S S	14,02 14,05 14,15 14,25 14,02 14,05 14,15 14,25	8,03	56	G	L L-U
G25 551A G25 551B	HITACHI	6	98471163	A-S	14,03 14,08	8,00	59	G	C.I.
G44 23A G44 23B G44 23C G44 23D	190.44 9498 cc 177/276 KW 190.32 - 400E 30 175.24 - 440E 38 159.20 - 170.20 - 190.20 Mot. 8060.21 - 8060.41 Turbo	6	61585072	A-S	16,05 16,10 16,15 16,25	9,02	67	G	L
G25 553A G25 553B G25 553C G25 553D G25 554A G25 554B G25 554C G25 554D	130E 23 EURO CARGO 120E 23 - 280E 23 EURO CARGO 5861 cc TD 167 KW Mot. 8060.45 S Turbo	6	98435241EZ 98435242EZ 98474643EZ 98474645EZ	A S	15,02 15,07 15,12 15,22 15,02 15,07 15,12 15,22	9,02	81 70	G	C.I. C.I.



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	± mm		
segue FIAT - IVECO - AUTOCARRI - TRATTORI									
G25 555A	EURO TECH 320E 27 - 190E 24	6	4861816	A	16,05	9,02	62	G	L
G25 555B	EURO TECH 190E 27				16,10				
G25 555C	EURO CARGO 180E 27 - 150E 27				16,15				
G25 555D	7685 cc TD 196 KW		4861818		16,25				
G25 556A	Mot. 8360.46 R		4861811	S	16,05	9,02	57	G	C.I.
G25 556B					16,10				
G25 556C					16,15				
G25 556D			4861813		16,25				
G25 557A	EURO CARGO	6	98474643EZ	A-S	15,02	9,02	70	G	C.I.
G25 557B	180E 23 - 130E 23 - 260E 23				15,07				
G25 557C	120E 23 - 170E 23 - 280E 23				15,12				
G25 557D	5861 cc TD 167 KW Mot. 8060.45 S				15,22				
G25 559A	EUROSTAR 190E 40	6	500391479	A	15,03	9,02	97	G	C.I.
G25 559B	EUROTECH 440E 43 T				15,08				
G25 559D	STRALIS 440S 43				15,23				
G25 560A	CURSOR 440E 43		500391476	S	15,03	9,02	97	G	C.I.-U
G25 560B	Mot. F3A E0681B - D - E				15,08				
G25 560D					15,23				
G25 561A	EUROTRAKKER 260 E 38	6	500390993	A	16,03	10,02	97	G	C.I.
G25 561B	CURSOR 410 E 38				16,08				
G25 561D	STRALIS 440 E 48 - 260 S 54				16,23				
G25 562A	Mot. F3 BE 0681 A - C - E - G		500390994	S	16,03	10,02	97	G	C.I.-U
G25 562B					16,08				
G25 562D					16,23				



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	mm		
segue FIAT - IVECO - AUTOCARRI - TRATTORI									
G25 563A	EURO TECH 190E 35 - 440E 35	6	500391440	A	13,03	8,02	75,5	G	C.I.
G25 563B	EURO TRAKKER 340E 35				13,08				
G25 563D	7790 cc 259 KW		500391441		13,21				
G25 564A	Mot. F2BE 0681 A - B - C - D		500391436	S	13,03	8,02	75,5	G	C.I.-U
G25 564B					13,08				
G25 564D			500391437		13,21				
G25 571A	EURO TECH 190E 35-440E 35	6	500391440	A	13,03	8,02	75,5	B	C.I.
G25 571B	EURO TRAKKER 340E 35				13,08				
G25 572A	Mot. F2BE0681A-B-C-D		500391436	S	13,03	8,02	75,5	B	C.I.-U
G25 572B					13,08				
G25 567A	EUROCARGO 65/75E 13/15	4	Trasformazione per motore	A-S	13,05	7,01	60	G	L
G25 567B	EUROCARGO 75/80/90/100E 17 EUROCARGO 75/80/90/100/120/130 EUROCARGO 140/150 E18-180 E21 EUROCARGO 120/130/140/150/320 E24/28 LF 45.150 3920 cc 95/125 KW 5880 cc 134/202 KW Mot. TECTOR E13/15/17 16V (F4AE 0481) Mot. TECTOR E18/21/24/28 24V (F4AE 0681) Mot. BE 110C 16V	6	senza guidavalvole in origine		13,09				
G25 569A	EUROCARGO 65/75E 13/15	4	Trasformazione per motore	A-S	13,05	7,01	50	G	L
G25 569B	EUROCARGO 75/80/90/100E 17 EUROCARGO 75/80/90/100/120/130 EUROCARGO 140/150 E18-180 E21 EUROCARGO 120/130/140/150/320 E24/28 LF 45.150 3920 cc 95/125 KW 5880 cc 134/202 KW Mot. TECTOR E13/15/17 16V (F4AE 0481) Mot. TECTOR E18/21/24/28 24V (F4AE 0681) Mot. BE 110C 16V	6	senza guidavalvole in origine		13,09				

