


N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	mm		
<b>PEUGEOT</b>									
G16 11A G16 11B G16 11C G16 11D	206 1.1i - 106 XT 306 1.4i - 206 1.6i 1587 cc 65 KW 106 XR - XT 954 cc - 1361 cc 55 KW 205 GL - 309 GE 1124 cc 37 KW Mot. C1A TU9K - TU5JP - TU3JP	4	0220-59 0220-60  9456001145	A-S	13,06 13,11 13,16 13,26	7,00	47,5	G	C.I.
G48 01A G48 01B G48 01C G48 01D	104 - 205 Mot. XV3 - XV8	4	0220-35	A-S	13,05 13,10 13,15 13,25	8,02	55	G	L
G48 03A G48 03B G48 03C G48 03D	104 - 604 - 505 Mot. ZN3J - ZNJK	4 6V	0220-58	A-S	13,05 13,10 13,15 13,25	8,02	51	G	C.I.-0
G48 05A G48 05B G48 05C G48 05D	204 304 Mot. XL3S - XK - XK4	4	0220-28	A-S	14,05 14,10 14,15 14,25	8,02	58,5	G	C.I.
G48 07A G48 07B G48 07C G48 07D	204 - 304 305 GL - GR - 305 S Mot. XL5S - XK5	4	0220-40	A-S	14,05 14,10 14,15 14,25	8,02	51	G	C.I.
G48 13A G48 13B G48 13C G48 13D	404 - 504 - 505 1,8 - 1,6 - 2,0 Mot. XM7 - XN2	4	0220-25	A-S	14,05 14,10 14,15 14,25	8,02	55	G	C.I.
G48 15A G48 15B G48 15C G48 15D	403V - 404 1.6 Mot. XB2	4	0220-13	A-S	14,06 14,11 14,16 14,26	8,50	56,5	G	L




N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	± mm		
<b>segue PEUGEOT</b>									
<b>G48 17A</b>	104 SR	4	0220-51	A-S	13,07	8,00	47,5	<b>G</b>	<b>C.I.</b>
<b>G48 17B</b>	205 GL - GT				13,12				
<b>G48 17C</b>	954 cc - 1124 cc - 1361 cc				13,17				
<b>G48 17D</b>	Mot. XY8 - XYER - XY7				13,27				
<b>G48 19A</b>	604 5L - Ti - GTi 2849 cc	6V	0220-58	A-S	13,05	8,00	51	<b>G</b>	<b>C.I.-0</b>
<b>G48 19B</b>	504 V6 Ti 2664 cc	4			13,10				
<b>G48 19C</b>	505 STi 1995 cc - 2165 cc				13,15				
<b>G48 19D</b>	Mot. ZEJ - ZDJ - ZMJ - ZNJ				13,25				
<b>G48 31A</b>	205 GTi 1905 cc 96 KW	4		A-S	13,07	8,00	45	<b>G</b>	<b>C.I.</b>
<b>G48 31B</b>	305 GT 1905 cc 77 KW				13,12				
<b>G48 31C</b>	309 GR 1580 cc 66 KW				13,17				
<b>G48 31D</b>	306 XT 1762 cc 74 KW 405 GR 1762 cc Mot. XU92C - XU7JP - XU5S - XU9JA				13,27				
<b>G48 33A</b>	205 GT - GTi 1580 cc 65 KW	4	0220-64	A	13,07	8,01	38,7	<b>B</b>	<b>C.I.</b>
<b>G48 33B</b>	305 GT				13,12				
<b>G48 33C</b>	309 GTi - GT 1905 cc 75/96 KW				13,17				
<b>G48 33D</b>	405 GE - GR		0220-63		13,27				
<b>G48 34A</b>	306 XT - CABRIOLET		0220-72	S	13,07	8,01	45	<b>B</b>	<b>C.I.</b>
<b>G48 34B</b>	406 SL		13,12						
<b>G48 34C</b>	806 SR		13,17						
<b>G48 34D</b>	Mot. XU5J - IC - XU9-JA - XU9 - 2C Mot. XU5M - XU9-J2 - BDY - BFZ	0221-17	13,27						
<b>G48 35A</b>	405 Mi 16V 1905 cc 118 KW	4	0220-73	A	12,07	7,01	40	<b>B</b>	<b>C.I.</b>
<b>G48 35B</b>	306 GTi 16V 1762 cc 81 KW				12,12				
<b>G48 35C</b>	406 SL 16V 1762 cc 81 KW				12,17				
<b>G48 35D</b>	605 SRi 16V 1998 cc 98 KW				12,27				
<b>G48 36A</b>	Mot. XU9J4 - XU10J4 - XU10J4R		0221-19	S	12,07	7,01	40	<b>B</b>	<b>C.I.</b>
<b>G48 36B</b>		12,12							
<b>G48 36C</b>		12,17							
<b>G48 36D</b>		12,27							
<b>G48 37A</b>	605 - 3.0 V6	4 6V		A-S	12,04	7,01	53	<b>B</b>	<b>C.I.</b>
<b>G48 37B</b>	Mot. ZPJ4Z - UKZ				12,09				
<b>G48 37C</b>					12,14				
<b>G48 37D</b>					12,24				



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape		
					∅	∅	mm			
<b>segue PEUGEOT</b>										
<b>G48 39A</b>	106 XSI	4	0220-84	A-S	13,07	7,01	48,5	<b>B</b>	<b>C.I.</b>	
<b>G48 39B</b>	306 XT - CABRIO - SW									
<b>G48 39C</b>	106 Rallye									
<b>G48 39D</b>	Mot. TU3F 1361 cc 70 KW									0220-83
	Mot. TU5JP 1361 cc 76 KW									
	Mot. TU5J4 1587 cc 65 KW									
<b>G48 47A</b>	605 SV 2975 cc 125 KW	6V	0220-71	A-S	13,07	8,01	48,4	<b>B</b>	<b>C.I.</b>	
<b>G48 47B</b>	205 1.3 RALLY 74 KW									
<b>G48 47C</b>	Mot. UFZ - TU24									
<b>G48 47D</b>										
<b>G48 34A</b>				S	0220-72	13,07	8,01	45	<b>B</b>	<b>C.I.</b>
<b>G48 34B</b>										
<b>G48 34C</b>										
<b>G48 34D</b>										
<b>G48 35A</b>	405 Ti 16V Turbo 1998 cc 144 KW	4	0220-73	A-S	12,07	7,01	40	<b>B</b>	<b>C.I.</b>	
<b>G48 35B</b>	Mot. XU10JP									
<b>G48 35C</b>										
<b>G48 35D</b>										
<b>G48 36A</b>	406 SR 1761 cc 16V 81 KW	4	0221-19	A-S	12,07	7,01	40	<b>B</b>	<b>C.I.</b>	
<b>G48 36B</b>	406 SV 1998 cc 16V									
<b>G48 36C</b>	605 SRi 1998 cc 16V 98 KW									
<b>G48 36D</b>	Mot. XU10J4R D.O.H.C. Mot. XU7JP4 D.O.H.C.									
<b>G48 49A</b>	605 SV 24V 2975 cc 147 KW	6V	0220-79	A-S	12,07	7,01	53	<b>B</b>	<b>C.I.</b>	
<b>G48 49B</b>	Mot. ZPJ4									
<b>G48 49C</b>										
<b>G48 49D</b>										
<b>G48 47A</b>	205 RALLYE	4	0220-71	A-S	13,07	8,01	48,4	<b>B</b>	<b>C.I.</b>	
<b>G48 47B</b>	1294 cc 74 KW									
<b>G48 47C</b>	Mot. TU 2.4									
<b>G48 47D</b>										



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	± mm		
<b>segue PEUGEOT</b>									
<b>G16 15A</b>	306 XT	4	0220.85	A	13,07	8,01	43,6	<b>B</b>	<b>C.I.</b>
<b>G16 15B</b>	306 CABRIOLET				13,12				
<b>G16 15C</b>	405 GRi				13,17				
<b>G16 15D</b>	605 SRi - SVi				13,27				
<b>G16 16A</b>	806 SR - SV Turbo		0220.21	S	13,07	8,01	50,6	<b>B</b>	<b>C.I.</b>
<b>G16 16B</b>	1998 cc 96/108 KW				13,12				
<b>G16 16C</b>	Mot. XU10J2				13,17				
<b>G16 16D</b>	Mot. XU102C Mot. XUJ2CTE				13,27				
<b>G48 51A</b>	306 - 406 - 1.8 16V	4	0221.25	A	12,07	5,98	40,8	<b>B</b>	<b>C.I.</b>
<b>G48 51B</b>	1761 cc 81 KW				12,12				
<b>G48 51C</b>	Mot. XU7JP4 - 3FY - 3FZ - 6FZ				12,17				
<b>G48 51D</b>					12,27				
<b>G48 52A</b>			0221.24	A-S	12,07	5,99	40,8	<b>G</b>	<b>C.I.</b>
<b>G48 52B</b>					12,12				
<b>G48 52C</b>					12,17				
<b>G48 52D</b>					12,27				
<b>GS48 52A</b>		0221.24	A-S	12,07	5,99	40,8	<b>S</b>	<b>C.I.</b>	
<b>GS48 52B</b>				12,12					
<b>GS48 52C</b>				12,17					
<b>GS48 52D</b>				12,27					
<b>G48 55A</b>	406 2.0 16V	4		A-S	12,07	6,00	41	<b>B</b>	<b>C.I.</b>
<b>G48 55B</b>	306 RALLYE S16				12,12				
<b>G48 55C</b>	1998 cc 99 KW - 120 KW				12,17				
<b>G48 55D</b>	Mot. RFS - RFR				12,27				
<b>G48 57A</b>	1007 - 207 1.6 16V	4 6V	0220.95	A-S	11,07	6,00	40	<b>B</b>	<b>C.I.</b>
<b>G48 57B</b>	307 X 1.6 16V				11,12				
<b>G48 57C</b>	106 - S 16				11,17				
<b>G48 57D</b>	406 - 605 3.0 24V 140 KW 1587 cc 80/87 KW Mot. XFX - TU5J4 - NFU - NFX				11,27				



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	mm		
<b>segue PEUGEOT</b>									
<b>G16 23A</b>	206 - 307 2.0 16V 99 KW	4	02130.12	A	12,07	6,00	40	<b>B</b>	<b>C.I.</b>
<b>G16 23B</b>	406 - 806 2.0 16V 101 KW				12,12				
<b>G16 23C</b>	406 - 607 1.8i 16V 87 KW				12,17				
<b>G16 23D</b>	1749 cc - 1998 cc				12,27				
<b>G16 24A</b>	Mot. EW7J4 - EW10J4		02130.13	S	12,07	6,00	40	<b>G</b>	<b>C.I.</b>
<b>G16 24B</b>					12,12				
<b>G16 24C</b>					12,17				
<b>G16 24D</b>					12,27				
<b>GS16 24A</b>			02130.13	S	12,07	6,00	40	<b>S</b>	<b>C.I.</b>
<b>GS16 24B</b>					12,12				
<b>GS16 24C</b>					12,17				
<b>GS16 24D</b>					12,27				
<b>G48 65A</b>	206 RC 16V VVT	4		A	12,07	6,00	37,5	<b>B</b>	<b>C.I.</b>
<b>G48 65B</b>	1997 cc - 130 KW				12,12				
<b>G48 65C</b>	Mot. EW10 J4S				12,17				
<b>G48 65D</b>					12,25				
<b>G48 66A</b>				S	12,07	6,00	37,5	<b>G</b>	<b>C.I.</b>
<b>G48 66B</b>					12,12				
<b>G48 66C</b>					12,17				
<b>G48 66D</b>					12,25				
<b>GS48 66A</b>				S	12,07	6,00	37,5	<b>S</b>	<b>C.I.</b>
<b>GS48 66B</b>					12,12				
<b>GS48 66C</b>					12,17				
<b>GS48 66D</b>					12,25				
<b>G16 25A</b>	307 16V	4		A-S	10,57	5,50	38	<b>B</b>	<b>L</b>
<b>G16 25B</b>	1360 cc				10,60				
<b>G16 25C</b>	Mot. ET3J4 - KFU				10,65				
<b>G16 25D</b>					10,70				
<b>G58 31A</b>	107	4	0221.28	A-S	9,73	5,01	34,4	<b>G</b>	<b>L-X</b>
<b>G58 31B</b>	998 cc 50 KW				9,78				
<b>G58 31C</b>					9,83				
<b>G58 31D</b>					9,93				
<b>GS58 31A</b>	107	4	0221.28	A-S	9,73	5,01	34,4	<b>S</b>	<b>L-X</b>
<b>GS58 31B</b>	998 cc 50 KW				9,78				
<b>GS58 31C</b>					9,83				
<b>GS58 31D</b>					9,93				



N. CODICE BIEFFE REF.	MODELLO MODEL	CIL. CYL.	N. ORIGINALE O.E. NUMBER	A-S IN-EX	DIMENSIONI DIMENSIONS			Materiale Forma Material Shape	
					∅	∅	± mm	B	L
<b>segue PEUGEOT</b>									
<b>G48 71A</b>	308 - 207 RC - Gti Mot. PSA EP6DTS	4		A	9,05	5,01	41	<b>B</b>	<b>L</b>
<b>G48 71B</b>					9,09				
<b>G48 71C</b>					9,15				
<b>G48 71D</b>					9,25				
<b>G48 72A</b>				S	9,05	5,01	44,5	<b>B</b>	<b>L</b>
<b>G48 72B</b>					9,09				
<b>G48 72C</b>					9,15				
<b>G48 72D</b>					9,25				
<b>G48 73A</b>	208 - 308 - 2008 1.0 - 1.2VTi 12V 999cc KW 50 - 1199cc KW 50-60 1199cc KW 60-87 Mot. EBO - EB2	3		A-S	9,05	5,00	37	<b>B</b>	<b>L</b>
<b>G48 73B</b>					9,08				
<b>G48 73C</b>					9,15				
<b>G48 73D</b>					9,25				

